

**ADDENDUM NO. 1****POWELL BUTTE HWY / BUTLER MARKET RD INTERSECTION IMPROVEMENT**

The Bidding Documents for the POWELL BUTTE HWY / BUTLER MARKET RD INTERSECTION IMPROVEMENT project are amended as follows:

**SPECIAL PROVISIONS**

- ***On Page SP5 of the Special Provisions, replace the paragraph in the CONTRACT TIME section with the following:***

The Contractor shall complete all Work to be done under the Contract not later than September 30, 2024.

- ***Replace Section 02320 of the Special Provisions with the following:***

**SECTION 02320 - GEOSYNTHETICS**

Comply with Section 02320 of the Standard Specifications modified as follows:

**02320.10(a)(2) Geogrids** – Replace the second bullet with the following:

- Geogrid for Subgrade reinforcement approved as Subgrade Reinforcement Geogrid on the QPL, or an alternative product which is similar in design and equal or better in quality and function to those specified.

***Clarifying Narrative: According to the Standard Specification 02320.10(a)(2) for Subgrade Reinforcement Geogrid, the material shall be Qualified Products Listing (QPL)-approved. The Agency understands that the triaxial geogrid material presently listed in the QPL may no longer be commercially available. Accordingly, the Agency is amending the specification as shown above to allow for use of alternate geogrid materials, provided that the form, function and performance of the material is verifiably equivalent or superior to that of the triaxial geogrid product currently listed on the QPL.***

The Bidding Documents for the POWELL BUTTE HWY / BUTLER MARKET RD INTERSECTION IMPROVEMENT project are amended as described above.

\_\_\_\_\_  
Cody Smith, PE  
County Engineer

January 17, 2024  
Date

---

---

I acknowledge receipt of Addendum No. 1.

\_\_\_\_\_  
BIDDER NAME

\_\_\_\_\_  
SIGNATURE OF BIDDER

\_\_\_\_\_  
Date

**THIS ADDENDUM, EXCLUDING ATTACHMENTS, SHALL BE SIGNED AND SUBMITTED WITH THE BID PROPOSAL BY THE BIDDER.**